


First Quarter 2013

Vol. 11, No. 1



Louisiana Office of Public Health
STD/HIV Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Manager

Editor/Production
Demerial Banks, MPH

Data Management/Analysis and Surveillance
Demerial Banks, MPH, Surveillance Epidemiologist
Tania Bechtel, Data Manager
Joseph Foxhood, BA, OPH IT Project Manager
George Stephens, Information Systems Administrator
Josette Russell, Data Entry Specialist
Billy Robinson, PhD, Biostatistician
Elliott Brannon, MPH, Perinatal Surveillance Coordinator
Rashad Arcement, MSPH, Incidence and Resistance Coordinator

Field Epidemiologists
Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Connie Gordon

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2002-2012)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2002-2012)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2013¹.

- In 2011, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** in the nation and the Baton Rouge MSA ranked **3rd** in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked **4th** highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked **1st** in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked **4th** in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **18,947** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,391** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2012, of the persons who reported a risk factor, 64% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of March 31, 2013, 50% of all people living with HIV infection in Louisiana were MSM.
- In 2012, **1,198** new HIV cases were diagnosed in Louisiana. Of these cases, **32%** (n=388) occurred in Region 1 (New Orleans) and **23%** (n=280) occurred in Region 2 (Baton Rouge).
- In 2012, **807** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=267) occurred in Region 1 (New Orleans) and **25%** (n=201) occurred in Region 2 (Baton Rouge).
- In Louisiana, **28%** of new HIV cases and **32%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2012, **73%** of newly diagnosed HIV cases and **79%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2012, **24%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **27%** occurred among persons 25-34 years old.
- As of March 31, 2013, a cumulative total of **33,470** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **337** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2013, is **14,285** including **112** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS

Louisiana
as of March 31, 2013

- **33,470** cumulative cases have been detected in Louisiana since the beginning of the epidemic, including **337** pediatric cases.
- **14,285** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **112** pediatric deaths.
- **18,947** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,556**
Persons living with AIDS: **10,391**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	5,674	30 %
Men	13,273	70 %
Total	18,947	100%

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	65	<1 %
13 - 19	126	1 %
20 - 24	812	4 %
25 - 29	1,528	8 %
30 - 34	2,018	11 %
35 - 39	2,245	12 %
40 - 44	2,407	13 %
45 - 49	2,861	15 %
50 - 54	2,948	16 %
55 - 59	2,019	11 %
60+	1,918	10 %
Total	18,947	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	8,266	4,697	12,963	68 %
White, Non-Hispanic	4,260	790	5,050	27 %
Hispanic	581	137	718	4 %
Asian/Pacific Islander	56	13	69	<1 %
American Indian	24	5	29	<1 %
Unknown	8	3	11	<1 %
Multi-race	78	29	107	1 %
Total	13,273	5,674	18,947	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	6,336	0	6,336	50 %
Injection drug use	1,125	669	1,794	14 %
Men who have sex with men and inject drugs	819	0	819	7 %
Heterosexual contact	1,083	2,250	3,333	27 %
Transfusion/Hemophilia	49	31	80	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	95	103	198	2 %
Total	9,507	3,054	12,561	100 %
<i>No Identified Risk</i>	<i>3,766</i>	<i>2,620</i>	<i>6,386</i>	

Persons Living with AIDS
Louisiana
as of March 31, 2013

- **22,690** cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including **179** pediatric cases.
- **10,391** persons are currently living with AIDS in Louisiana.

<u>Gender</u>	Cases	Percent
Women	2,919	28 %
Men	7,472	72 %
Total	10,391	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	11	<1 %	Black, Non-Hispanic	4,671	2,443	7,114	68 %
13 - 19	40	<1 %	White, Non-Hispanic	2,418	370	2,788	27 %
20 - 24	217	2 %	Hispanic	301	86	387	4 %
25 - 29	493	5 %	Asian/Pacific Islander	25	5	30	<1 %
30 - 34	899	9 %	American Indian	11	2	13	<1 %
35 - 39	1,153	11 %	Multi-race	46	13	59	1 %
40 - 44	1,389	13 %	Total	7,472	2,919	10,391	100 %
45 - 49	1,790	17 %					
50 - 54	1,859	18 %					
55 - 59	1,300	13 %					
60+	1,240	12 %					
Total	10,391	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,454	0	3,454	48 %
Injection drug use	783	384	1,167	16 %
Men who have sex with men and inject drugs	563	0	563	8 %
Heterosexual contact	662	1,198	1,860	26 %
Transfusion/Hemophilia	35	21	56	1 %
Perinatal	38	45	83	1 %
Total	5,535	1,648	7,183	100 %
 <i>No Identified Risk</i>	 <i>1,937</i>	 <i>1,271</i>	 <i>3,208</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2012

• **1,198** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	858	72 %	Black, Non-Hispanic	877	73 %
Women	340	28 %	White, Non-Hispanic	241	20 %
Total	1,198	100 %	Hispanic	59	5 %
			Asian/Pacific Islander	9	1 %
			American Indian	2	<1 %
			Unknown	2	<1 %
			Multi-race	8	1 %
			Total	1,198	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	10	1 %	Men who have sex with men	415	64 %
13 - 24	282	24 %	Injection drug use	45	7 %
25 - 34	321	27 %	Men who have sex with men and inject drugs	11	2 %
35 - 44	250	21 %	Heterosexual contact	167	26 %
45+	335	28 %	Perinatal	10	2 %
Total	1,198	100 %	Total	648	100 %
			<i>No Identified Risk</i>	<i>550</i>	

AIDS CASES DIAGNOSED January - December 2012

• **807** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	546	68 %	Black, Non-Hispanic	636	79 %
Women	261	32 %	White, Non-Hispanic	131	16 %
Total	807	100 %	Hispanic	29	4 %
			Asian/Pacific Islander	3	<1 %
			Unknown	3	<1 %
			Multi-race	5	1 %
			Total	807	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	241	54 %
13 - 24	113	14 %	Injection drug use	51	11 %
25 - 34	221	27 %	Men who have sex with men and inject drugs	14	3 %
35 - 44	202	25 %	Heterosexual contact	140	31 %
45+	270	33 %	Perinatal	4	1 %
Total	807	100 %	Total	450	100 %
			<i>No Identified Risk</i>	<i>357</i>	

Persons Living with HIV/AIDS
as of March 31, 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	101	Sabine	21
Allen	234	St. Bernard	148
Ascension	202	St. Charles	100
Assumption	27	St. Helena	22
Avoyelles	136	St. James	65
Beauregard	50	St. John the Baptist	164
Bienville	29	St. Landry	272
Bossier	168	St. Martin	112
Caddo	1,014	St. Mary	82
Calcasieu	648	St. Tammany	399
Caldwell	18	Tangipahoa	346
Cameron	4	Tensas	37
Catahoula	29	Terrebonne	198
Claiborne	66	Union	36
Concordia	47	Vermilion	95
De Soto	56	Vernon	59
East Baton Rouge	3,713	Washington	177
East Carroll	33	Webster	62
East Feliciana	155	West Baton Rouge	96
Evangeline	83	West Carroll	15
Franklin	36	West Feliciana	151
Grant	31	Winn	51
Iberia	114		
Iberville	449		
Jackson	29		
Jefferson	1,746		
Jefferson Davis	57		
La Salle	26		
Lafayette	692		
Lafourche	126		
Lincoln	86		
Livingston	177		
Madison	37		
Morehouse	61		
Natchitoches	121		
Orleans	4,477		
Ouachita	584		
Plaquemines	35		
Pointe Coupee	55		
Rapides	431		
Red River	10		
Richland	44		
		Total	18,947

Persons Living with AIDS
as of March 31, 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	57	Sabine	15
Allen	122	St. Bernard	86
Ascension	106	St. Charles	49
Assumption	13	St. Helena	13
Avoyelles	71	St. James	34
Beauregard	34	St. John the Baptist	90
Bienville	13	St. Landry	154
Bossier	82	St. Martin	66
Caddo	532	St. Mary	52
Calcasieu	380	St. Tammany	222
Caldwell	9	Tangipahoa	194
Cameron	3	Tensas	17
Catahoula	17	Terrebonne	117
Claiborne	39	Union	27
Concordia	27	Vermilion	56
De Soto	32	Vernon	28
East Baton Rouge	2,038	Washington	94
East Carroll	20	Webster	24
East Feliciana	86	West Baton Rouge	59
Evangeline	45	West Carroll	7
Franklin	13	West Feliciana	95
Grant	17	Winn	30
Iberia	66		
Iberville	260		
Jackson	19		
Jefferson	965		
Jefferson Davis	32		
La Salle	13		
Lafayette	360		
Lafourche	78		
Lincoln	42		
Livingston	100		
Madison	18		
Morehouse	34		
Natchitoches	57		
Orleans	2,449		
Ouachita	306		
Plaquemines	25		
Pointe Coupee	35		
Rapides	212		
Red River	9		
Richland	26		

Total **10,391**

Persons Living with HIV/AIDS**Metro New Orleans****as of March 31, 2013***Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **15,535** cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including **161** pediatric cases.
- **6,722** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **55** pediatric deaths
- **7,134** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,214**
Persons living with AIDS: **3,920**

<u>Gender</u>	Cases	Percent
Women	1,897	27 %
Men	5,237	73 %
Total	7,134	100 %

Age Category

Current Age	Cases	Percent
0 - 12	23	<1 %
13 - 19	42	1 %
20 - 24	280	4 %
25 - 29	573	8 %
30 - 34	697	10 %
35 - 39	802	11 %
40 - 44	867	12 %
45 - 49	1,090	15 %
50 - 54	1,115	16 %
55 - 59	816	11 %
60+	829	12 %
Total	7,134	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,871	1,555	4,426	62 %
White, Non-Hispanic	1,994	229	2,223	31 %
Hispanic	304	95	399	6 %
Asian/Pacific Islander	30	7	37	1 %
American Indian	7	0	7	<1 %
Unknown	4	3	7	<1 %
Multi-race	27	8	35	<1 %
Total	5,237	1,897	7,134	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,777	0	2,777	58 %
Injection drug use	341	211	552	12 %
Men who have sex with men and inject drugs	287	0	287	6 %
Heterosexual contact	342	737	1,079	22 %
Transfusion/Hemophilia	18	14	32	1 %
Perinatal	31	41	72	2 %
Total	3,796	1,003	4,799	100 %
<i>No Identified Risk</i>	<i>1,441</i>	<i>894</i>	<i>2,335</i>	

Persons Living with AIDS**Metro New Orleans****as of March 31, 2013***Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **10,662** cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including **84** pediatric cases.
- **3,920** persons are currently living with AIDS in the New Orleans MSA.

<u>Gender</u>	Cases	Percent
Women	1,004	26 %
Men	2,916	74 %
Total	3,920	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	3	<1 %	Black, Non-Hispanic	1,598	830	2,428	62 %
13 - 19	12	<1 %	White, Non-Hispanic	1,114	101	1,215	31 %
20 - 24	84	2 %	Hispanic	170	66	236	6 %
25 - 29	161	4 %	Asian/Pacific Islander	14	3	17	<1 %
30 - 34	304	8 %	American Indian	2	0	2	<1 %
35 - 39	399	10 %	Multi-race	18	4	22	1 %
40 - 44	501	13 %	Total	2,916	1,004	3,920	100 %
45 - 49	687	18 %					
50 - 54	703	18 %					
55 - 59	533	14 %					
60+	533	14 %					
Total	3,920	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,529	0	1,529	56 %
Injection drug use	222	122	344	13 %
Men who have sex with men and inject drugs	195	0	195	7 %
Heterosexual contact	216	413	629	23 %
Transfusion/Hemophilia	12	9	21	1 %
Perinatal	12	18	30	1 %
Total	2,186	562	2,748	100 %
<i>No Identified Risk</i>	<i>730</i>	<i>442</i>	<i>1,172</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro New Orleans***Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes***HIV CASES DIAGNOSED January - December 2012**

- 448 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	321	72 %	Black, Non-Hispanic	315	70 %
Women	127	28 %	White, Non-Hispanic	103	23 %
Total	448	100 %	Hispanic	22	5 %
			Asian/Pacific Islander	4	1 %
			American Indian	1	<1 %
			Unknown	2	<1 %
			Multi-race	1	<1 %
			Total	448	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	174	65 %
13 - 24	103	23 %	Injection drug use	15	6 %
25 - 34	132	29 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	85	19 %	Heterosexual contact	69	26 %
45+	124	28 %	Perinatal	4	2 %
Total	448	100 %	Total	266	100 %
			<i>No Identified Risk</i>	<i>182</i>	

AIDS CASES DIAGNOSED January - December 2012

- 297 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	216	73 %	Black, Non-Hispanic	225	76 %
Women	81	27 %	White, Non-Hispanic	52	18 %
Total	297	100 %	Hispanic	16	5 %
			Asian/Pacific Islander	2	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	297	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	113	58 %
13 - 24	40	13 %	Injection drug use	17	9 %
25 - 34	82	28 %	Men who have sex with men and inject drugs	8	4 %
35 - 44	80	27 %	Heterosexual contact	55	28 %
45+	94	32 %	Perinatal	1	1 %
Total	297	100 %	Total	194	100 %
			<i>No Identified Risk</i>	<i>103</i>	

Persons Living with HIV/AIDS**Metro Baton Rouge****as of March 31, 2013***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,682** cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including **77** pediatric cases.
- **3,232** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **19** pediatric deaths.
- **5,020** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,228**
Persons living with AIDS: **2,792**

<u>Gender</u>	Cases	Percent
Women	1,834	37 %
Men	3,186	63 %
Total	5,020	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	23	<1 %	Black, Non-Hispanic	2,465	1,647	4,112	82 %
13 - 19	39	1 %	White, Non-Hispanic	647	165	812	16 %
20 - 24	212	4 %	Hispanic	48	13	61	1 %
25 - 29	405	8 %	Asian/Pacific Islander	8	2	10	<1 %
30 - 34	600	12 %	American Indian	2	1	3	<1 %
35 - 39	638	13 %	Multi-race	16	6	22	<1 %
40 - 44	689	14 %	Total	3,186	1,834	5,020	100 %
45 - 49	704	14 %					
50 - 54	733	15 %					
55 - 59	494	10 %					
60+	483	10 %					
Total	5,020	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,213	0	1,213	39 %
Injection drug use	400	239	639	21 %
Men who have sex with men and inject drugs	205	0	205	7 %
Heterosexual contact	319	654	973	31 %
Transfusion/Hemophilia	7	9	16	1 %
Perinatal	30	28	58	2 %
Total	2,174	930	3,104	100 %
<i>No Identified Risk</i>	<i>1,012</i>	<i>904</i>	<i>1,916</i>	

Persons Living with AIDS**Metro Baton Rouge****as of March 31, 2013***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **5,214** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **33** pediatric cases.
- **2,792** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Gender</u>	Cases	Percent
Women	946	34 %
Men	1,846	66 %
Total	2,792	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,447	862	2,309	83 %
13 - 19	13	<1 %	White, Non-Hispanic	361	75	436	16 %
20 - 24	54	2 %	Hispanic	24	8	32	1 %
25 - 29	141	5 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	278	10 %	American Indian	2	0	2	<1 %
35 - 39	333	12 %	Multi-race	9	1	10	<1 %
40 - 44	406	15 %	Total	1,846	946	2,792	100 %
45 - 49	449	16 %					
50 - 54	474	17 %					
55 - 59	323	12 %					
60+	318	11 %					
Total	2,792	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	652	0	652	36 %
Injection drug use	311	142	453	25 %
Men who have sex with men and inject drugs	147	0	147	8 %
Heterosexual contact	189	347	536	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	10	8	18	1 %
Total	1,314	504	1,818	100 %

<i>No Identified Risk</i>	<i>532</i>	<i>442</i>	<i>974</i>
---------------------------	------------	------------	------------

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2012**

- 298 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	191	64 %	Black, Non-Hispanic	254	85 %
Women	107	36 %	White, Non-Hispanic	36	12 %
Total	298	100 %	Hispanic	7	2 %
			Asian/Pacific Islander	1	<1 %
			Total	298	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0-12	4	1 %	Men who have sex with men	88	60 %
13 - 24	68	23 %	Injection drug use	10	7 %
25 - 34	88	30 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	65	22 %	Heterosexual contact	40	27 %
45+	73	24 %	Perinatal	4	3 %
Total	298	100 %	Total	146	100 %
			<i>No Identified Risk</i>	<i>152</i>	

AIDS CASES DIAGNOSED January - December 2012

- 213 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	132	62 %	Black, Non-Hispanic	189	89 %
Women	81	38 %	White, Non-Hispanic	21	10 %
Total	213	100 %	Hispanic	3	1 %
			Total	213	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	14 %	Men who have sex with men	51	52 %
25 - 34	60	28 %	Injection drug use	18	18 %
35 - 44	51	24 %	Men who have sex with men and inject drugs	3	3 %
45+	72	34 %	Heterosexual contact	27	27 %
Total	213	100 %	Total	99	100 %
			<i>No Identified Risk</i>	<i>114</i>	

Persons Living with HIV/AIDS**Region 1: New Orleans Region****as of March 31, 2013***Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **14,552** cumulative cases have been detected in Region 1 since the beginning of the epidemic, including **144** pediatric cases.
- **6,316** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **50** pediatric deaths.
- **6,406** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,881**
Persons living with AIDS: **3,525**

<u>Gender</u>	Cases	Percent
Women	1,700	27 %
Men	4,706	73 %
Total	6,406	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age							
0 - 12	18	<1 %	Black, Non-Hispanic	2,644	1,421	4,065	63 %
13 - 19	35	1 %	White, Non-Hispanic	1,713	174	1,887	29 %
20 - 24	239	4 %	Hispanic	287	87	374	6 %
25 - 29	514	8 %	Asian/Pacific Islander	28	7	35	1 %
30 - 34	634	10 %	American Indian	7	0	7	<1 %
35 - 39	724	11 %	Unknown	4	3	7	<1 %
40 - 44	781	12 %	Multi-race	23	8	31	<1 %
45 - 49	966	15 %	Total	4,706	1,700	6,406	100 %
50 - 54	1,001	16 %					
55 - 59	735	11 %					
60+	759	12 %					
Total	6,406	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,471	0	2,471	57 %
Injection drug use	316	191	507	12 %
Men who have sex with men and inject drugs	265	0	265	6 %
Heterosexual contact	307	662	969	23 %
Transfusion/Hemophilia	15	14	29	1 %
Perinatal	24	34	58	1 %
Total	3,398	901	4,299	100 %
<i>No Identified Risk</i>	<i>1,308</i>	<i>799</i>	<i>2,107</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of March 31, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **9,978** cumulative AIDS cases have been diagnosed in Region 1 since the beginning of the epidemic, including **75** pediatric cases.

• **3,525** persons are currently living with AIDS in Region 1.

<u>Gender</u>	Cases	Percent
Women	910	26 %
Men	2,615	74 %
Total	3,525	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,466	765	2,231	63 %
13 - 19	10	<1 %	White, Non-Hispanic	958	77	1,035	29 %
20 - 24	67	2 %	Hispanic	160	61	221	6 %
25 - 29	149	4 %	Asian/Pacific Islander	13	3	16	<1 %
30 - 34	280	8 %	American Indian	2	0	2	<1 %
35 - 39	352	10 %	Multi-race	16	4	20	1 %
40 - 44	456	13 %	Total	2,615	910	3,525	100 %
45 - 49	613	17 %					
50 - 54	629	18 %					
55 - 59	485	14 %					
60+	481	14 %					
Total	3,525	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,365	0	1,365	55 %
Injection drug use	207	113	320	13 %
Men who have sex with men and inject drugs	179	0	179	7 %
Heterosexual contact	192	376	568	23 %
Transfusion/Hemophilia	9	9	18	1 %
Perinatal	8	15	23	1 %
Total	1,960	513	2,473	100 %

<i>No Identified Risk</i>	<i>655</i>	<i>397</i>	<i>1,052</i>	
---------------------------	------------	------------	--------------	--

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2012**

- **388** persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	280	72 %	Black, Non-Hispanic	278	72 %
Women	108	28 %	White, Non-Hispanic	85	22 %
Total	388	100 %	Hispanic	18	5 %
			Asian/Pacific Islander	3	1 %
			American Indian	1	<1 %
			Unknown	2	1 %
			Multi-race	1	<1 %
			Total	388	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	154	65 %
13 - 24	88	23 %	Injection drug use	12	5 %
25 - 34	118	30 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	75	19 %	Heterosexual contact	63	27 %
45+	104	27 %	Perinatal	3	1 %
Total	388	100 %	Total	236	100 %

No Identified Risk 152

AIDS CASES DIAGNOSED January - December 2012

- **267** persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	195	73 %	Black, Non-Hispanic	207	78 %
Women	72	27 %	White, Non-Hispanic	41	15 %
Total	267	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	267	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	100	57 %
13 - 24	32	12 %	Injection drug use	16	9 %
25 - 34	79	30 %	Men who have sex with men and inject drugs	8	5 %
35 - 44	71	27 %	Heterosexual contact	50	29 %
45+	84	31 %	Perinatal	1	1 %
Total	267	100 %	Total	175	100 %

No Identified Risk 92

Persons Living with HIV/AIDS
Region 2: Baton Rouge Region
as of March 31, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,417** cumulative cases have been detected in Region 2 since the beginning of the epidemic, including **72** pediatric cases.
- **3,118** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,821** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,142**
Persons living with AIDS: **2,679**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,773	37 %
Men	3,048	63 %
Total	4,821	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
0 - 12	22	<1 %	Black, Non-Hispanic	2,419	1,624	4,043	84 %
13 - 19	37	1 %	White, Non-Hispanic	558	129	687	14 %
20 - 24	203	4 %	Hispanic	45	12	57	1 %
25 - 29	394	8 %	Asian/Pacific Islander	8	1	9	<1 %
30 - 34	585	12 %	American Indian	2	1	3	<1 %
35 - 39	611	13 %	Multi-race	16	6	22	<1 %
40 - 44	664	14 %	Total	3,048	1,773	4,821	100 %
45 - 49	672	14 %					
50 - 54	696	14 %					
55 - 59	473	10 %					
60+	464	10 %					
Total	4,821	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,146	0	1,146	39 %
Injection drug use	383	228	611	21 %
Men who have sex with men and inject drugs	197	0	197	7 %
Heterosexual contact	305	632	937	32 %
Transfusion/Hemophilia	6	9	15	1 %
Perinatal	29	26	55	2 %
Total	2,066	895	2,961	100%
<i>No Identified Risk</i>	<i>982</i>	<i>878</i>	<i>1,860</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of March 31, 2013**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,039** cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including **31** pediatric cases.
- **2,679** persons are currently living with AIDS in Region 2.

<u>Gender</u>	Cases	Percent
Women	912	34 %
Men	1,767	66 %
Total	2,679	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,418	847	2,265 85 %
13 - 19	13	<1 %	White, Non-Hispanic	312	57	369 14 %
20 - 24	50	2 %	Hispanic	23	7	30 1 %
25 - 29	138	5 %	Asian/Pacific Islander	3	0	3 <1 %
30 - 34	273	10 %	American Indian	2	0	2 <1 %
35 - 39	319	12 %	Multi-race	9	1	10 <1 %
40 - 44	393	15 %	Total	1,767	912	2,679 100 %
45 - 49	426	16 %				
50 - 54	449	17 %				
55 - 59	307	11 %				
60+	308	11 %				
Total	2,679	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	617	0	617	36 %
Injection drug use	296	136	432	25 %
Men who have sex with men and inject drugs	143	0	143	8 %
Heterosexual contact	180	335	515	30 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	10	7	17	1 %
Total	1,250	485	1,735	100 %
<i>No Identified Risk</i>	<i>517</i>	<i>427</i>	<i>994</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2012**

- 280 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	178	64 %	Black, Non-Hispanic	247	88 %
Women	102	36 %	White, Non-Hispanic	25	9 %
Total	280	100 %	Hispanic	7	2 %
			Asian/Pacific Islander	1	<1 %
			Total	280	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	79	59 %
13 - 24	63	22 %	Injection drug use	8	6 %
25 - 34	85	30 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	60	21 %	Heterosexual contact	40	30 %
45+	68	24 %	Perinatal	4	3 %
Total	280	100 %	Total	135	100 %

*No Identified Risk**145***AIDS CASES DIAGNOSED January - December 2012**

- 201 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	125	62 %	Black, Non-Hispanic	183	91 %
Women	76	38 %	White, Non-Hispanic	15	7 %
Total	201	100 %	Hispanic	3	1 %
			Total	201	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	13 %	Men who have sex with men	48	51 %
25 - 34	60	30 %	Injection drug use	17	18 %
35 - 44	49	24 %	Men who have sex with men and inject drugs	3	3 %
45+	66	33 %	Heterosexual contact	26	28 %
Total	201	100 %	Total	94	100 %

*No Identified Risk**107*

Persons Living with HIV/AIDS

Region 3: Houma Region

as of March 31, 2013

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **1,121** cumulative cases have been detected in Region 3 since the beginning of the epidemic, including **17** pediatric cases.
- **507** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **762** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **329**
Persons living with AIDS: **433**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	244	32 %
Men	518	68 %
Total	762	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
0 - 12	2	<1 %	Black, Non-Hispanic	277	181	458	60 %
13 - 19	8	1 %	White, Non-Hispanic	214	53	267	35 %
20 - 24	47	6 %	Hispanic	18	6	24	3 %
25 - 29	82	11 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	83	11 %	American Indian	1	2	3	<1 %
35 - 39	86	11 %	Multi-race	6	1	7	1 %
40 - 44	84	11 %	Total	518	244	762	100 %
45 - 49	107	14 %					
50 - 54	112	15 %					
55 - 59	77	10 %					
60+	74	10 %					
Total	762	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	288	0	288	55 %
Injection drug use	35	21	56	11 %
Men who have sex with men and inject drugs	18	0	18	3 %
Heterosexual contact	36	113	149	29 %
Perinatal	6	5	11	2 %
Total	383	139	522	100 %
<i>No Identified Risk</i>	<i>135</i>	<i>105</i>	<i>240</i>	

Persons Living with AIDS**Region 3: Houma Region****as of March 31, 2013***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **828** cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including **10** pediatric cases.

- **433** persons are currently living with AIDS in Region 3.

<u>Gender</u>	Cases	Percent
Women	129	30 %
Men	304	70 %
Total	433	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	2	<1 %	Black, Non-Hispanic	169	97	266	61 %
20 - 24	17	4 %	White, Non-Hispanic	118	25	143	33 %
25 - 29	26	6 %	Hispanic	13	3	16	4 %
30 - 34	41	9 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	46	11 %	American Indian	1	2	3	1 %
40 - 44	46	11 %	Multi-race	2	1	3	1 %
45 - 49	71	16 %	Total	304	129	433	100 %
50 - 54	75	17 %					
55 - 59	60	14 %					
60+	49	11 %					
Total	433	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	158	0	158	53 %
Injection drug use	26	12	38	13 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	25	58	83	28 %
Perinatal	3	4	7	2 %
Total	224	74	298	100 %
<i>No Identified Risk</i>	<i>80</i>	<i>55</i>	<i>135</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2012**

- 58 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	40	69 %	Black, Non-Hispanic	49	84 %
Women	18	31 %	White, Non-Hispanic	6	10 %
Total	58	100 %	Hispanic	3	5 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	14	50 %
13 - 24	13	22 %	Injection drug use	1	4 %
25 - 34	16	28 %	Heterosexual contact	12	43 %
35 - 44	12	21 %	Perinatal	1	4 %
45+	16	28 %	Total	28	100 %
Total	58	100 %	<i>No Identified Risk</i>	<i>30</i>	

AIDS CASES DIAGNOSED January - December 2012

- 36 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	25	69 %	Black, Non-Hispanic	30	83 %
Women	11	31 %	White, Non-Hispanic	5	14 %
Total	36	100 %	Hispanic	1	3 %
			Total	36	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	31 %	Men who have sex with men	14	67 %
25 - 34	7	19 %	Heterosexual contact	7	33 %
35 - 44	8	22 %	Total	21	100 %
45+	10	28 %	<i>No Identified Risk</i>	<i>15</i>	
Total	36	100 %			

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of March 31, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,144** cumulative cases have been detected in Region 4 since the beginning of the epidemic, including **17** pediatric cases.
- **962** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,469** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **665**
Persons living with AIDS: **804**

<u>Gender</u>	Cases	Percent
Women	375	26 %
Men	1,094	74 %
Total	1,469	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	3	<1 %	Black, Non-Hispanic	577	263	804 57 %
13 - 19	7	<1 %	White, Non-Hispanic	452	101	553 38 %
20 - 24	59	4 %	Hispanic	53	3	56 4 %
25 - 29	110	7 %	Asian/Pacific Islander	2	2	4 <1 %
30 - 34	140	10 %	American Indian	2	1	3 <1 %
35 - 39	138	9 %	Unknown	1	0	1 <1 %
40 - 44	175	12 %	Multi-race	7	5	12 1 %
45 - 49	264	18 %	Total	1,094	375	1,469 100 %
50 - 54	265	18 %				
55 - 59	171	12 %				
60+	137	9 %				
Total	1,469	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	520	0	520	54 %
Injection drug use	82	46	128	13 %
Men who have sex with men and inject drugs	57	0	57	6 %
Heterosexual contact	76	166	242	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	746	220	966	100 %
<i>No Identified Risk</i>	<i>348</i>	<i>155</i>	<i>503</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of March 31, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

• **1,431** cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including **13** pediatric cases.

• **804** persons are currently living with AIDS in Region 4.

<u>Gender</u>	Cases	Percent
Women	187	23 %
Men	617	77 %
Total	804	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	314	138	452	56 %
13 - 19	3	<1 %	White, Non-Hispanic	274	45	319	40 %
20 - 24	13	2 %	Hispanic	24	1	25	3 %
25 - 29	39	5 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	66	8 %	Multi-race	4	2	6	1 %
35 - 39	75	9 %	Total	617	187	804	100 %
40 - 44	97	12 %					
45 - 49	161	20 %					
50 - 54	159	20 %					
55 - 59	104	13 %					
60+	86	11 %					
Total	804	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	305	0	305	55 %
Injection drug use	53	22	75	13 %
Men who have sex with men and inject drugs	40	0	40	7 %
Heterosexual contact	37	89	126	23 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	2	5	7	1 %
Total	440	117	557	100 %
<i>No Identified Risk</i>	<i>177</i>	<i>70</i>	<i>247</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2012**

- **88** persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	70	80 %	Black, Non-Hispanic	61	69 %
Women	18	20 %	White, Non-Hispanic	24	27 %
Total	88	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	2	2 %
			Total	88	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	27	31 %	Men who have sex with men	29	64 %
25 - 34	16	18 %	Injection drug use	6	13 %
35 - 44	14	16 %	Heterosexual contact	10	22 %
45+	31	35 %	Total	45	100 %
Total	88	100 %	<i>No Identified Risk</i>	<i>43</i>	

AIDS CASES DIAGNOSED January - December 2012

- **61** persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	72 %	Black, Non-Hispanic	43	70 %
Women	17	28 %	White, Non-Hispanic	16	26 %
Total	61	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	61	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	16 %	Men who have sex with men	16	50 %
25 - 34	12	20 %	Injection drug use	6	19 %
35 - 44	11	18 %	Men who have sex with men and inject drugs	1	3 %
45+	28	46 %	Heterosexual contact	8	25 %
Total	61	100 %	Perinatal	1	3 %
			Total	32	100 %
			<i>No Identified Risk</i>	<i>29</i>	

Persons Living with HIV/AIDS**Region 5: Lake Charles Region****as of March 31, 2013***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,335** cumulative cases have been detected in Region 5 since the beginning of the epidemic, including **10** pediatric cases.
- **522** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **993** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **422**
Persons living with AIDS: **571**

<u>Gender</u>	Cases	Percent
Women	227	23 %
Men	766	77 %
Total	933	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age							
0 - 12	2	<1 %	Black, Non-Hispanic	416	156	572	58 %
13 - 19	5	1 %	White, Non-Hispanic	256	62	318	32 %
20 - 24	40	4 %	Hispanic	80	5	85	9 %
25 - 29	63	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	93	9 %	American Indian	3	0	3	<1 %
35 - 39	125	13 %	Multi-race	7	4	11	1 %
40 - 44	136	14 %	Total	766	227	993	100 %
45 - 49	171	17 %					
50 - 54	182	18 %					
55 - 59	96	10 %					
60+	80	8 %					
Total	993	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	337	0	337	46 %
Injection drug use	90	34	124	17 %
Men who have sex with men and inject drugs	70	0	70	10 %
Heterosexual contact	85	96	181	25 %
Transfusion/Hemophilia	4	0	4	1 %
Perinatal	3	6	9	1 %
Total	589	136	725	100 %
<i>No Identified Risk</i>	<i>177</i>	<i>91</i>	<i>268</i>	

Persons Living with AIDS
Region 5: Lake Charles Region
as of March 31, 2013

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

• **927** cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including **6** pediatric cases.

• **571** persons are currently living with AIDS in Region 5.

<u>Gender</u>	Cases	Percent
Women	116	20 %
Men	455	80 %
Total	571	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	1	<1 %	Black, Non-Hispanic	253	78	331 58 %
13 - 19	2	<1 %	White, Non-Hispanic	157	34	191 33 %
20 - 24	9	2 %	Hispanic	38	2	40 7 %
25 - 29	28	5 %	Asian/Pacific Islander	2	0	2 <1 %
30 - 34	45	8 %	Multi-race	5	2	7 1 %
35 - 39	70	12 %	Total	455	116	571 100 %
40 - 44	81	14 %				
45 - 49	109	19 %				
50 - 54	119	21 %				
55 - 59	57	10 %				
60+	50	9 %				
Total	571	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	203	0	203	46 %
Injection drug use	61	23	84	19 %
Men who have sex with men and inject drugs	49	0	49	11 %
Heterosexual contact	49	45	94	21 %
Transfusion/Hemophilia	3	0	3	1 %
Perinatal	2	3	5	1 %
Total	367	71	438	100 %
<i>No Identified Risk</i>	<i>88</i>	<i>45</i>	<i>133</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2012**

- 50 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	42	84 %	Black, Non-Hispanic	23	46 %
Women	8	16 %	White, Non-Hispanic	23	46 %
Total	50	100 %	Hispanic	2	4 %
			Multi-race	2	4 %
			Total	50	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	16 %	Men who have sex with men	23	59 %
25 - 34	12	24 %	Injection drug use	7	18 %
35 - 44	15	30 %	Heterosexual contact	9	23 %
45+	15	30 %	Total	39	100 %
Total	50	100 %	<i>No Identified Risk</i>	<i>11</i>	

AIDS CASES DIAGNOSED January - December 2012

- 36 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	75 %	Black, Non-Hispanic	20	56 %
Women	9	25 %	White, Non-Hispanic	13	36 %
Total	36	100 %	Hispanic	2	6 %
			Multi-race	1	3 %
			Total	36	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	6 %	Men who have sex with men	12	44 %
25 - 34	12	33 %	Injection drug use	5	19 %
35 - 44	11	31 %	Heterosexual contact	9	33 %
45+	11	31 %	Perinatal	1	4 %
Total	36	100 %	Total	27	100 %
			<i>No Identified Risk</i>	<i>9</i>	

**Persons Living with HIV/AIDS
Region 6: Alexandria Region
as of March 31, 2013**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **1,436** cumulative cases have been detected in Region 6 since the beginning of the epidemic, including **15** pediatric cases.
- **517** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **810** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **395**
Persons living with AIDS: **415**

<u>Gender</u>	Cases	Percent
Women	258	32 %
Men	552	68 %
Total	810	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	3	<1 %	Black, Non-Hispanic	346	204	550 68 %
13 - 19	4	<1 %	White, Non-Hispanic	159	47	206 25 %
20 - 24	30	4 %	Hispanic	40	4	44 5 %
25 - 29	59	7 %	Asian/Pacific Islander	3	0	3 <1 %
30 - 34	81	10 %	American Indian	0	1	1 <1 %
35 - 39	118	15 %	Multi-race	4	2	6 1 %
40 - 44	109	13 %	Total	552	258	810 100 %
45 - 49	117	14 %				
50 - 54	128	16 %				
55 - 59	96	12 %				
60+	65	8 %				
Total	810	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	224	0	224	42 %
Injection drug use	49	26	75	14 %
Men who have sex with men and inject drugs	37	0	37	7 %
Heterosexual contact	64	120	184	34 %
Transfusion/Hemophilia	7	1	8	1 %
Perinatal	6	3	9	2 %
Total	387	150	537	100 %
<i>No Identified Risk</i>	<i>165</i>	<i>108</i>	<i>273</i>	

Persons Living with AIDS**Region 6: Alexandria Region****as of March 31, 2013***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

• **887** cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including **6** pediatric cases.

• **415** persons are currently living with AIDS in Region 6.

<u>Gender</u>	Cases	Percent
Women	129	31 %
Men	286	69 %
Total	415	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	188	101	289	70 %
13 - 19	1	<1 %	White, Non-Hispanic	85	26	111	27 %
20 - 24	6	1 %	Hispanic	11	1	12	3 %
25 - 29	17	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	35	8 %	Multi-race	1	1	2	<1 %
35 - 39	53	13 %	Total	286	129	415	100 %
40 - 44	65	16 %					
45 - 49	70	17 %					
50 - 54	73	18 %					
55 - 59	52	13 %					
60+	42	10 %					
Total	415	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	109	0	109	39 %
Injection drug use	24	15	39	14 %
Men who have sex with men and inject drugs	29	0	29	10 %
Heterosexual contact	36	61	97	34 %
Transfusion/Hemophilia	5	0	5	2 %
Perinatal	2	2	4	1 %
Total	205	78	283	100 %
<i>No Identified Risk</i>	<i>81</i>	<i>51</i>	<i>132</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2012**

- 72 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	54	75 %	Black, Non-Hispanic	35	49 %
Women	18	25 %	White, Non-Hispanic	16	22 %
Total	72	100 %	Hispanic	19	26 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	72	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	19	53 %
13 - 24	12	17 %	Injection drug use	2	6 %
25 - 34	16	22 %	Men who have sex with men and inject drugs	2	6 %
35 - 44	20	28 %	Heterosexual contact	12	33 %
45+	23	32 %	Perinatal	1	3 %
Total	72	100 %	Total	36	100 %
			<i>No Identified Risk</i>	<i>36</i>	

AIDS CASES DIAGNOSED January - December 2012

- 38 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	20	53 %	Black, Non-Hispanic	32	84 %
Women	18	47 %	White, Non-Hispanic	4	11 %
Total	38	100 %	Hispanic	2	5 %
			Total	38	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	5 %	Men who have sex with men	8	40 %
25 - 34	12	32 %	Men who have sex with men and inject drugs	1	5 %
35 - 44	11	29 %	Heterosexual contact	11	55 %
45+	13	34 %	Total	20	100 %
Total	38	100 %	<i>No Identified Risk</i>	<i>18</i>	

Persons Living with HIV/AIDS**Region 7: Shreveport Region****as of March 31, 2013***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,295** cumulative cases have been detected in Region 7 since the beginning of the epidemic, including **27** pediatric cases.
- **1,021** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **11** pediatric deaths.
- **1,547** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **744**
Persons living with AIDS: **803**

<u>Gender</u>	Cases	Percent
Women	452	29 %
Men	1,095	71 %
Total	1,547	100%

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	3	<1 %	Black, Non-Hispanic	746	364	1,110 72 %
13 - 19	12	1 %	White, Non-Hispanic	313	80	393 25 %
20 - 24	106	7 %	Hispanic	19	7	26 2 %
25 - 29	159	10 %	Asian/Pacific Islander	4	0	4 <1 %
30 - 34	192	12 %	American Indian	7	0	7 <1 %
35 - 39	190	12 %	Multi-race	6	1	7 <1 %
40 - 44	180	12 %	Total	1,095	452	1,547 100 %
45 - 49	217	14 %				
50 - 54	214	14 %				
55 - 59	139	9 %				
60+	135	9 %				
Total	1,547	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	573	0	573	54 %
Injection drug use	64	40	104	10 %
Men who have sex with men and inject drugs	81	0	81	8 %
Heterosexual contact	78	202	280	26 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	7	7	14	1 %
Total	806	252	1,058	100 %
<i>No Identified Risk</i>	<i>289</i>	<i>200</i>	<i>489</i>	

Persons Living with AIDS**Region 7: Shreveport Region****as of March 31, 2013***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

• **1,503** cumulative AIDS cases have been diagnosed in Region 7 since the beginning of the epidemic, including **19** pediatric cases.

• **803** persons are currently living with AIDS in Region 7.

<u>Gender</u>	Cases	Percent
Women	224	28 %
Men	579	72 %
Total	803	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	392	182	574	71 %
13 - 19	5	1 %	White, Non-Hispanic	169	37	206	26 %
20 - 24	29	4 %	Hispanic	9	4	13	2 %
25 - 29	52	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	79	10 %	American Indian	5	0	5	1 %
35 - 39	89	11 %	Multi-race	3	1	4	<1 %
40 - 44	96	12 %	Total	579	224	803	100 %
45 - 49	130	16 %					
50 - 54	141	18 %					
55 - 59	92	11 %					
60+	89	11 %					
Total	803	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	280	0	280	49 %
Injection drug use	44	15	59	10 %
Men who have sex with men and inject drugs	52	0	52	9 %
Heterosexual contact	58	107	165	29 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	5	8	1 %
Total	439	130	569	100 %
<i>No Identified Risk</i>	<i>140</i>	<i>94</i>	<i>234</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2012**

- 101 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	75	74 %	Black, Non-Hispanic	79	78 %
Women	26	26 %	White, Non-Hispanic	15	15 %
Total	101	100 %	Hispanic	3	3 %
			Asian/Pacific Islander	1	1 %
			Multi-race	3	3 %
			Total	101	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	26 %	Men who have sex with men	37	77 %
25 - 34	25	25 %	Injection drug use	3	6 %
35 - 44	27	27 %	Men who have sex with men and inject drugs	1	2 %
45+	23	23 %	Heterosexual contact	7	15 %
Total	101	100 %	Total	48	100 %
			<i>No Identified Risk</i>	<i>53</i>	

AIDS CASES DIAGNOSED January - December 2012

- 69 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	43	62 %	Black, Non-Hispanic	56	81 %
Women	26	38 %	White, Non-Hispanic	10	14 %
Total	69	100 %	Hispanic	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	69	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	23 %	Men who have sex with men	17	49 %
25 - 34	20	29 %	Injection drug use	2	6 %
35 - 44	16	23 %	Heterosexual contact	16	46 %
45+	17	25 %	Total	35	100 %
Total	69	100 %	<i>No Identified Risk</i>	<i>34</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of March 31, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,667** cumulative cases have been detected in Region 8 since the beginning of the epidemic, including **17** pediatric cases.
- **698** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,016** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **478**
Persons living with AIDS: **538**

<u>Gender</u>	Cases	Percent
Women	350	34 %
Men	666	66 %
Total	1,016	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	6	1 %	Black, Non-Hispanic	474	295	769 76 %
13 - 19	13	1 %	White, Non-Hispanic	167	47	214 21 %
20 - 24	49	5 %	Hispanic	16	5	21 2 %
25 - 29	76	7 %	Asian/Pacific Islander	3	1	4 <1 %
30 - 34	124	12 %	American Indian	2	0	2 <1 %
35 - 39	127	12 %	Unknown	1	0	1 <1 %
40 - 44	133	13 %	Multi-race	3	2	5 <1 %
45 - 49	136	13 %	Total	666	350	1,016 100 %
50 - 54	151	15 %				
55 - 59	103	10 %				
60+	98	10 %				
Total	1,016	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	336	0	336	48 %
Injection drug use	41	35	76	11 %
Men who have sex with men and inject drugs	33	0	43	6 %
Heterosexual contact	72	154	226	32 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	9	13	2 %
Total	499	201	700	100 %
<i>No Identified Risk</i>	<i>167</i>	<i>149</i>	<i>316</i>	

Persons Living with AIDS**Region 8: Monroe Region****as of March 31, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

• **1,075** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **9** pediatric cases.

• **538** persons are currently living with AIDS in Region 8.

<u>Gender</u>	Cases	Percent
Women	169	31 %
Men	369	69 %
Total	538	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>			
Current Age	Cases	Percent		Men	Women	Total Percent
0 - 12	1	<1 %	Black, Non-Hispanic	256	143	399 74 %
13 - 19	4	1 %	White, Non-Hispanic	99	23	122 23 %
20 - 24	13	2 %	Hispanic	10	2	12 2 %
25 - 29	20	4 %	Asian/Pacific Islander	2	0	2 <1 %
30 - 34	48	9 %	Multi-race	1	1	2 <1 %
35 - 39	79	15 %	Total	369	169	538 100 %
40 - 44	81	15 %				
45 - 49	79	15 %				
50 - 54	87	16 %				
55 - 59	66	12 %				
60+	60	11 %				
Total	538	100 %				

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	169	0	169	44 %
Injection drug use	26	23	49	13 %
Men who have sex with men and inject drugs	30	0	30	8 %
Heterosexual contact	48	77	125	33 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	3	2	5	1 %
Total	279	103	382	100 %
<i>No Identified Risk</i>	<i>90</i>	<i>66</i>	<i>156</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2012**

- 85 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	60	71 %	Black, Non-Hispanic	69	81 %
Women	25	29 %	White, Non-Hispanic	12	14 %
Total	85	100 %	Hispanic	3	4 %
			American Indian	1	1 %
			Total	85	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	27	32 %	Men who have sex with men	26	68 %
25 - 34	16	19 %	Injection drug use	1	3 %
35 - 44	14	16 %	Heterosexual contact	11	29 %
45+	28	33 %	Total	38	100 %
Total	85	100 %	<i>No Identified Risk</i>	<i>47</i>	

AIDS CASES DIAGNOSED January - December 2012

- 50 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	62 %	Black, Non-Hispanic	40	80 %
Women	19	38 %	White, Non-Hispanic	5	10 %
Total	50	100 %	Hispanic	3	6 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	50	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	6	12 %	Men who have sex with men	10	45 %
25 - 34	9	18 %	Injection drug use	2	9 %
35 - 44	16	32 %	Heterosexual contact	9	41 %
45+	19	38 %	Perinatal	1	5 %
Total	50	100 %	Total	22	100 %
			<i>No Identified Risk</i>	<i>28</i>	

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,495** cumulative cases have been detected in Region 9 since the beginning of the epidemic, including **18** pediatric cases.
- **624** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,121** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **498**
 Persons living with AIDS: **623**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	295	26 %
Men	826	74 %
Total	1,121	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	6	1 %	Black, Non-Hispanic	367	189	556	50 %
13 - 19	5	<1 %	White, Non-Hispanic	428	97	525	47 %
20 - 24	39	3 %	Hispanic	23	8	31	3 %
25 - 29	71	6 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	86	8 %	Multi-race	6	0	6	1 %
35 - 39	126	11 %	Total	826	295	1,121	100 %
40 - 44	145	13 %					
45 - 49	211	19 %					
50 - 54	198	18 %					
55 - 59	128	11 %					
60+	106	9 %					
Total	1,121	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	441	0	441	56 %
Injection drug use	65	48	113	14 %
Men who have sex with men and inject drugs	51	0	51	6 %
Heterosexual contact	60	105	165	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	7	17	2 %
Total	633	160	793	100 %
<i>No Identified Risk</i>	<i>193</i>	<i>135</i>	<i>328</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,022** cumulative AIDS cases have been diagnosed in Region 9 since the beginning of the epidemic, including **10** pediatric cases.
- **623** persons are currently living with AIDS in Region 9.

<u>Gender</u>	Cases	Percent
Women	143	23 %
Men	480	77 %
Total	623	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	13	2 %	Black, Non-Hispanic	215	92	307	49 %
25 - 29	24	4 %	White, Non-Hispanic	246	46	292	47 %
30 - 34	32	5 %	Hispanic	13	5	18	3 %
35 - 39	70	11 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	74	12 %	Multi-race	5	0	5	1 %
45 - 49	131	21 %	Total	480	143	623	100 %
50 - 54	127	20 %					
55 - 59	77	12 %					
60+	75	12 %					
Total	623	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	248	0	248	55 %
Injection drug use	46	25	71	16 %
Men who have sex with men and inject drugs	29	0	29	6 %
Heterosexual contact	37	50	87	19 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	5	2	7	2 %
Total	371	77	448	100 %
<i>No Identified Risk</i>	<i>109</i>	<i>66</i>	<i>175</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 9: Hammond/Slidell Region

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

HIV CASES DIAGNOSED January - December 2012

- 76 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	59	78 %	Black, Non-Hispanic	36	47 %
Women	17	22 %	White, Non-Hispanic	35	46 %
Total	76	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	76	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	34	79 %
13 - 24	18	24 %	Injection drug use	5	12 %
25 - 34	17	22 %	Heterosexual contact	3	7 %
35 - 44	13	17 %	Perinatal	1	2 %
45+	27	36 %	Total	43	100 %
Total	76	100 %	<i>No Identified Risk</i>	33	


AIDS CASES DIAGNOSED January - December 2012

- 49 persons were newly diagnosed with AIDS in Region 9.


<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	73 %	Black, Non-Hispanic	25	51 %
Women	13	27 %	White, Non-Hispanic	22	45 %
Total	49	100 %	Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	49	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	16 %	Men who have sex with men	16	67 %
25 - 34	10	20 %	Injection drug use	3	12 %
35 - 44	9	18 %	Men who have sex with men and inject drugs	1	4 %
45+	22	45 %	Heterosexual contact	4	17 %
Total	49	100 %	Total	24	100 %
			<i>No Identified Risk</i>	25	

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2003-2012)




*The number of new HIV diagnoses in 2012 is subject to change as the data are not finalized.




* The number of new AIDS diagnoses in 2012 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2003-2012)



*The number of persons living with HIV/AIDS in 2012 is an overestimate because the 2012 death registry match has not occurred as of March 31, 2013.



*The number of persons living with AIDS in 2012 is an overestimate because the 2012 death registry match has not occurred as of March 31, 2013.